laservision

laser safety spectacle R10T2K05

Articlenumber: R10T2K051001
GTIN: 4050369012165
Unit: 1 Stück
Weight incl. packaging 0,45 kg
Weight excl. packaging: 0,11 kg

Highlights

- Protection levels certified acc. to EN 20
- 7 different frame styles
  available: F20, F46, R01, R02, R10, R14 and R17
- Unlimited colour recognition and very high VLT (75%)
- Different Wearing options

The laservision laser safety goggle R10.T2K05.1001 offers a broadband laser safety within the NIR- and IR spectral range (850-11500nm). The modern goggle with light grey filters without lamination and adjustable temples can be worn over corrective glasses. The light weight of this frame offers this goggle a very good wearing comfort. The shipment includes a metal box, which can also be used as a storage box.

Color view



Transmission der Signalfarben nach DIN EN 172 //
transmission of signal colours acc. to EN 172

Filtercurve



Transmissions- und OD-Kurve //
transmission and OD curve

COATING:	no coating
CUSHION:	No cushion
FILTER:	T2K05
FILTER COLOUR:	Light grey
FILTER CURVATURE:	Base curve 2
FILTER MATERIAL:	Mineral glass
FILTER TECHNOLOGY:	Absorption filter
FILTER THICKNESS:	ca. 3-4mm
FRAME:	R10
FRAME TYPE:	OTG with temples
PROPERTIES:	Adjustable temples, No neutral glass lamination
PROTECTION CLASS / NORM:	EN 207 full protection
PROTECTION RANGE:	near infrared, Infrared
VLT (APPROX.):	75%
VISUAL BRIGHTNESS:	Very good
COLOUR RECOGNITION:	Excellent

LASERVISION GmbH | Würzburger Str. 152, D-90766 Fürth | **T** +49 911 9736 8100 | **E** info@lvg.com | **I** uvex-laservision.de

laservision

laser safety spectacle R10T2K05

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
850 - 900	(OD2+)	DIRM LB2
>900 - 950	(OD3+)	DIRM LB3
>950 - 1030	(OD4+)	DIRM LB4
>1030 - 1400	(OD5+)	DIRM LB5
>1400 - 2200	(OD4+)	D LB4 + IR LB4Y
2400 - 2800	(OD3+)	DIR LB3
>2800 - 11500	(OD4+)	D LB4 + I LB4Y + R LB3Y