

laservision

laser safety goggle R14T1B09F




Articlenumber: R14T1B091002

GTIN: 4050369022591

Unit: 1 Stück


Weight incl. packaging 0,62 kg

Color view



Transmission der Signalfarben nach DIN EN 172 //
transmission of signal colours acc. to EN 172

Filtercurve



Transmissions- und OD-Kurve //
transmission and OD curve

Highlights

- Protection levels certified acc. to EN 208
- Lignment filter for the visible range
- 3 different frame styles available: [R01](#), [R14](#) oder [R17](#)
- Different wearing options

The laservision laser safety goggle R14.T1B09.1002 with a foam frame (F) is suitable for alignment applications within the visible laser radiation (400-670nm). It only offers alignment protection. The goggle with grey filters can be worn over large corrective glasses. The changeable click frame with the foam frame offers a very good wearing comfort. The shipment includes a metal box which can also be used as a storage box.

COATING:	no coating
CUSHION:	Soft foam (F)
FILTER:	T1B09
FILTER COLOUR:	Dark grey
FILTER CURVATURE:	Flat filter
FILTER MATERIAL:	Glass
FILTER TECHNOLOGY:	Absorption filter
FILTER THICKNESS:	ca. 4mm
FRAME:	R14
FRAME TYPE:	Goggle with strap
PROPERTIES:	Neutral glass lamination
PROTECTION CLASS / NORM:	EN 208 Alignment protection
PROTECTION RANGE:	visible
VLT (APPROX.):	1%
VISUAL BRIGHTNESS:	Low
COLOUR RECOGNITION:	Good

laservision

laser safety goggle R14T1B09F

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
315 - <400	(OD1+)	DIRM LB1
400 - 670	(OD2-3)	0,1W 2x10E-5J RB2
>670 - 1300	(OD1+)	DIRM LB1