# laservision

#### laser safety goggle R14T1B09L



GTIN: 4050369022607

Unit: 1 Stück

Weight incl. packaging 0,64 kg


# Articlenumber: R14T1B091003

### **Highlights**

- Protection levels certified acc. to EN 208
- · Lignment filter for the visible range
- 3 different frame styles available: R01, R14 oder R17
- Different wearing options


The laservision laser safety goggle R14.T1B09.1003 with lip seal (L) is suitable for alignment applications within the visible laser radiation (400-670nm). It only offers alignment protection. The goggle with grey filters can be worn over large corrective glasses. The changeable click frame with the lip seal is preferably used by alternating users. The shipment includes a metal box which can also be used as a storage box.

#### Color view



Transmission der Signalfarben nach DIN EN 172 // transmission of signal colours acc. to EN 172

### Filtercurve



COATING:	no coating
CUSHION:	Lip seal (L)
FILTER:	T1B09
FILTER COLOUR:	Dark grey
FILTER CURVATURE:	Base curve 6
FILTER MATERIAL:	Glass
FILTER TECHNOLOGY:	Absorption filter
FILTER THICKNESS:	ca. 4mm
FRAME:	R14
FRAME TYPE:	Goggle with strap
PROPERTIES:	Neutral glass lamination
PROTECTION CLASS / NORM:	EN 208 Alignment protection
PROTECTION RANGE:	visible
VLT (APPROX.):	1%
VISUAL BRIGHTNESS:	Low
COLOUR RECOGNITION:	Good

LASERVISION GmbH & Co.KG | Würzburger Str. 152, D-90766 Fürth | T +49 911 9736 8100 | E info@lvg.com | I uvex-laservision.de

# **laservision**

# laser safety goggle R14T1B09L

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
315 - <400	(OD1+)	DIRM LB1
400 - 670	(OD2-3)	0,1W 2x10E-5J RB2
>670 - 1300	(OD1+)	DIRM LB1

 $\textbf{LASERVISION GmbH \& Co.KG} \ | \ \textbf{W\"{u}rzburger Str. 152}, \ \textbf{D-90766 F\"{u}rth} \ | \ \textbf{T +49 911 9736 8100} \ | \ \textbf{E} \ \textbf{info@lvg.com} \ | \ \textbf{I} \ \textbf{uvex-laservision.de} \ | \ \textbf{I} \ \textbf{vex-laservision} \ | \ \textbf{Vex$