

laser safety goggle R14T1D01F



Articlenumber: R14T1D011002

GTIN: 4050369019379

Unit: 1 Stück


Weight incl. packaging 0,62 kg

Highlights

- Protection levels acc. to EN 207
- Application: CO₂, CO Laser at 10600 or 5400nm
- 6 different frame styles
available: [F20](#), [F46](#), [R01](#), [R02](#), [R14](#) and [R17](#)
- Unrestricted colour view and highest VLT
- Different wearing or frame options


The laservision laser safety goggle R14.T1D01.1002 with foam frame (F) offers very high protection levels within the IR spectral range (5400, 9000-11.500nm). The goggle with its colorless filters can be worn over large corrective glasses. The changeable click frame with foam frame characterizes a very good wearing comfort. The shipment includes a metal box which can also be used as a storage box.

Color view



Transmission der Signalfarben nach DIN EN 172 //
transmission of signal colours acc. to EN 172

Filtercurve



Transmissions- und OD-Kurve //
transmission and OD curve

COATING:	no coating
CUSHION:	Soft foam (F)
FILTER:	T1D01
FILTER COLOUR:	Colourless
FILTER CURVATURE:	Flat filter
FILTER MATERIAL:	Mineral glass
FILTER TECHNOLOGY:	Absorption filter
FILTER THICKNESS:	ca. 5mm
FRAME:	R14
FRAME TYPE:	Goggle with strap
PROPERTIES:	Neutral glass lamination
PROTECTION CLASS / NORM:	EN 207 full protection
PROTECTION RANGE:	Infrared
VLT (APPROX.):	90%
VISUAL BRIGHTNESS:	Excellent
COLOUR RECOGNITION:	Excellent

laser safety goggle R14T1D01F

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
5400 - 5400	(OD5+)	D LB5 + I LB5Y + R LB2
9000 - 11500	(OD10+)	D LB5 + I LB5Y + R LB2