

# laservision

## laser safety goggle R14T1D01F




Articlenumber: R14T1D011002  
GTIN: 4050369019379  
Unit: 1 Stück  
Weight incl. packaging 0,62 kg

### Highlights

- Protection levels acc. to EN 207
- Application: CO<sub>2</sub>, CO Laser at 10600 or 5400nm
- 6 different frame styles  
available: [F20](#), [F46](#), [R01](#), [R02](#), [R14](#) and [R17](#)
- Unrestricted colour view and highest VLT
- Different wearing or frame options


The laservision laser safety goggle R14.T1D01.1002 with foam frame (F) offers very high protection levels within the IR spectral range (5400, 9000-11.500nm). The goggle with its colorless filters can be worn over large corrective glasses. The changeable click frame with foam frame characterizes a very good wearing comfort. The shipment includes a metal box which can also be used as a storage box.

### Color view



Transmission der Signalfarben nach DIN EN 172 //  
transmission of signal colours acc. to EN 172

### Filtercurve



Transmissions- und OD-Kurve //  
transmission and OD curve

<b>COATING:</b>	no coating
<b>CUSHION:</b>	Soft foam (F)
<b>FILTER:</b>	T1D01
<b>FILTER COLOUR:</b>	Colourless
<b>FILTER CURVATURE:</b>	Flat filter
<b>FILTER MATERIAL:</b>	Mineral glass
<b>FILTER TECHNOLOGY:</b>	Absorption filter
<b>FILTER THICKNESS:</b>	ca. 5mm
<b>FRAME:</b>	R14
<b>FRAME TYPE:</b>	Goggle with strap
<b>PROPERTIES:</b>	Neutral glass lamination
<b>PROTECTION CLASS / NORM:</b>	EN 207 full protection
<b>PROTECTION RANGE:</b>	Infrared
<b>VLT (APPROX.):</b>	90%
<b>VISUAL BRIGHTNESS:</b>	Excellent
<b>COLOUR RECOGNITION:</b>	Excellent

# laservision

---

## laser safety goggle R14T1D01F

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
5400 - 5400	(OD5+)	D LB5 + I LB5Y + R LB2
9000 - 11500	(OD10+)	D LB5 + I LB5Y + R LB2