laservision

laser safety spectacle R14T1K06A

Articlenumber: R14T1K061004
GTIN: 4050369019430
Unit: 1 Stück
Weight incl. packaging 0,65 kg
Weight excl. packaging: 0,21 kg

Highlights

- Protection levels certified according EN 207
- Applications: Nd:YAG laser welding, drilling, cutting
- 3 different frame styles available: R01, R14 and R17
- Unlimited colour view and very high VLT
- Different wearing options
- As Cabinet window avail. up to 297x210 mm

The laservision laser safety goggle R14.T1K06.1004 with an aired foam frame (A), provides high protection ratings within the NIR and IR spectral area (900-11,500nm). The OTG goggle with light grey filters can be worn over average large correction glasses. The changeable click frame with an aired foam (A14AIRED1000) makes the goggles particularly comfortable to wear and prevents fogging of the laser protection filters. A clear view is guaranteed even with a long wearing period. The shipment includes a metal box which can also be used as a storage box. The removable frame can optionally be bought in sets of 5.

Color view



Transmission der Signalfarben nach DIN EN 172 //
transmission of signal colours acc. to EN 172

Filtercurve



Transmissions- und OD-Kurve //
transmission and OD curve

COATING:	no coating
CUSHION:	Aired foam (A)
FILTER:	T1K06
FILTER COLOUR:	Light grey
FILTER CURVATURE:	Flat filter
FILTER MATERIAL:	Mineral glass
FILTER TECHNOLOGY:	Absorption filter
FILTER THICKNESS:	ca. 7mm
FRAME:	R14
FRAME TYPE:	Goggle with strap
PROPERTIES:	Neutral glass lamination
PROTECTION CLASS / NORM:	EN 207 full protection
PROTECTION RANGE:	near infrared, Infrared
VLT (APPROX.):	60%
VISUAL BRIGHTNESS:	Very good
COLOUR RECOGNITION:	Excellent

laser safety spectacle R14T1K06A

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
730 - <780	(OD1+)	DIRM LB1
780 - <808	(OD2+)	DIRM LB2
808 - 840	(OD3+)	DIRM LB3
>840 - 870	(OD4+)	DIRM LB4
>870 - 885	(OD5+)	DIRM LB5
>885 - 900	(OD6+)	DIRM LB6
>900 - 950	(OD7+)	DIRM LB7
>950 - 1000	(OD8+)	D LB7 + IRM LB8
>1000 - 1400	(OD9+)	D LB7 + IR LB8 + M LB9
>1400 - 3500	(OD5+)	DM LB5 + I LB5Y + R LB4
>3500 - 25000	(OD10+)	D LB5 + I LB5Y + R LB3Y + M LB6Y

LASERVISION GmbH & Co.KG | Würzburger Str. 152, D-90766 Fürth | **T** +49 911 9736 8100 | **E** info@lvg.com | **I** uvex-laservision.de