


# laservision

## laser safety spectacle R14T1K13F




Articlenumber: R14T1K131002  
GTIN: 4050369019447  
Unit: 1 Stück  
Weight incl. packaging 0,60 kg  
Weight excl. packaging: 0,21 kg

### Color view



Transmission der Signalfarben nach DIN EN 172 //  
transmission of signal colours acc. to EN 172

### Filtercurve



Transmissions- und OD-Kurve //  
transmission and OD curve

### Highlights

- Protection levels acc. to EN 207
- Application: Nd:YAG laser material processing
- Available with frame style [R14](#)
- Unrestricted colour view and high VLT
- As cabinet window available with max. 297x210 mm

The laservision laser safety goggle R14.T1K13.1002 with a foam frame (F), provides protection at 808nm; 1064nm and within the area 1,500-1,600nm. The OTG goggle with light grey filters can be worn over average large correction glasses. The exchangeable clip frame with foam frame (A14FORUB1000) lends this OTG goggles a unique and good wearing comfort. The laser safety goggle comes with a metal box, which can also be used as a storage box.

<b>COATING:</b>	no coating
<b>CUSHION:</b>	Soft foam (F)
<b>FILTER:</b>	T1K13
<b>FILTER COLOUR:</b>	Grey green
<b>FILTER MATERIAL:</b>	Mineral glass
<b>FILTER TECHNOLOGY:</b>	Absorption filter
<b>FILTER THICKNESS:</b>	ca. 7mm
<b>FRAME:</b>	R14
<b>FRAME TYPE:</b>	Goggle with strap
<b>PROTECTION CLASS / NORM:</b>	EN 207 full protection
<b>PROTECTION RANGE:</b>	near infrared, Infrared
<b>VLT (APPROX.):</b>	66%
<b>VISUAL BRIGHTNESS:</b>	Excellent
<b>COLOUR RECOGNITION:</b>	Excellent

# laservision

---

## laser safety spectacle R14T1K13F

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
808 - 808	(OD3+)	DIR LB3
1064 - 1064	(OD6+)	D LB4 + IR LB6
1500 - 1600	(OD3+)	DIR LB3