


laservision

laser safety spectacle R14T2K05F




Articlenumber: R14T2K051002
GTIN: 4050369038233
Unit: 1 Stück
Weight incl. packaging 0,62 kg

Color view



Transmission der Signalfarben nach DIN EN 172 //
transmission of signal colours acc. to EN 172

Filtercurve



Transmissions- und OD-Kurve //
transmission and OD curve

Highlights

- Protection levels certified acc. to EN 20
- 7 different frame styles
available: [F20](#), [F46](#), [R01](#), [R02](#), [R10](#), [R14](#) and [R17](#)
- Unlimited colour recognition and very high VLT (75%)
- Different Wearing options

The laservision laser safety goggle R14.T2K05.1002 with a foam frame (F), provides a broad band protection effect within the NIR and IR-spectral area (850-11,500nm). The OTG goggle with thin, light grey filters, without lamination, can be worn over average large correction glasses. The exchangeable clip frame with foam lends this OTG goggles a unique and good wearing comfort. The laser safety goggle comes with a metal box, which can also be used as a storage box.

COATING:	no coating
CUSHION:	Soft foam (F)
FILTER:	T2K05
FILTER COLOUR:	Light grey
FILTER CURVATURE:	Flat filter
FILTER MATERIAL:	Mineral glass
FILTER TECHNOLOGY:	Absorption filter
FILTER THICKNESS:	ca. 3-4mm
FRAME:	R14
FRAME TYPE:	Goggle with strap
PROPERTIES:	No neutral glass lamination
PROTECTION CLASS / NORM:	EN 207 full protection
PROTECTION RANGE:	near infrared, Infrared
VLT (APPROX.):	75%
VISUAL BRIGHTNESS:	Very good
COLOUR RECOGNITION:	Excellent

laser safety spectacle R14T2K05F

WAVELENGTH	OD	OPERATING MODE / TESTED PROTECTION LEVEL
850 - 900	(OD2+)	DIRM LB2
>900 - 950	(OD3+)	DIRM LB3
>950 - 1030	(OD4+)	DIRM LB4
>1030 - 1400	(OD5+)	DIRM LB5
>1400 - 2200	(OD4+)	DIRM LB4
2400 - 2800	(OD3+)	DIRM LB3
>2800 - 25000	(OD4+)	DIM LB4 + R LB3Y